

Author Index

Agid, Y., see Herrero, M.T. (42) 149
Akiyama, K., see Yokoyama, M. (42) 135
Anderson, C.M., Xiong, W., Young, J.D., Cass,
C.E. and Parkinson, F.E.

Demonstration of the existence of mRNAs encoding N1/cif and N2/cit sodium/nucleoside cotransporters in rat brain (42) 358

Appeltauer, U., see Langnaese, K. (42) 118
Aronin, N., see Bennett, M.R. (42) 140
Asensi, H., see Herrero, M.T. (42) 149
Asghari, V., see Young, L.T. (42) 45
Aspey, B.S., see Wagstaff, M.J.D. (42) 236
Augood, S.J., see Herrero, M.T. (42) 149
Azzi, M., Boudin, H., Mahmudi, N., Pélaprat, D., Rostène, W. and Bérod, A.
In vivo regulation of neurotensin receptors following long-term pharmacological blockade with a specific receptor antagonist (42)

Baas, F., see Piosik, P.A. (42) 227
Barrett, R.K., see Florez, J.C. (42) 25
Benloucif, S., see Masana, M.I. (42) 193
Bennett, M.R., Aronin, N. and Schwartz, W.J.
In vitro stimulation of c-Fos protein expression in the suprachiasmatic nucleus of hypothalamic slices (42) 140

pothalamic slices (42) 140
Bernasconi, R., see Mathivet, P. (42) 18
Bérod, A., see Azzi, M. (42) 213
Bessert, D., see Carlock, L. (42) 202
Bittiger, H., see Mathivet, P. (42) 18
Blum, M., see Yeo, T.T.S. (42) 255
Boone Jr., J.B. and Corry, J.M.

Proenkephalin gene expression in the brainstem regulates post-exercise hypotension (42) 31

Boudin, H., see Azzi, M. (42) 213
Breckinridge, M., see Honkaniemi, J. (42) 79
Brown, B.G., see Stokes, A.H. (42) 167
Bulleit, R.F., see Lin, X. (42) 307
Burke, Z.D., Morgan, H., Murphy, D. and
Carter, D.A.

RNAs encoded by a 3.5-kb bovine vasopressin gene construct are targeted to the neurohypophysis of transgenic mice (42) 287

Cadet, J.L., see Sheng, P. (42) 171
Camilli, F., see Falkenberg, T. (42) 317
Cannon, S.C., see Grosson, C.L.S. (42) 222
Carlock, L., Vo, T., Lorincz, M., Walker, P.D.,
Bessert, D., Wisniewski, D. and Dunbar,
J.C.

Variable subcellular localization of a neuron-specific protein during NTera 2 differentiation into post-mitotic human neurons (42) 202

Carter, D.A., see Burke, Z.D. (42) 287
Cass, C.E., see Anderson, C.M. (42) 358
Cattaneo, E., Conti, L., Gritti, A., Frolichsthal, P., Govoni, S. and Vescovi, A.
Non-virally mediated gene transfer into human central nervous system precursor cells

(42) 161
Chan, R.J., see Crabb, D.W. (42) 103
Clemens, J.A., see May, P.C. (42) 145
Coffin, R.S., see Wagstaff, M.J.D. (42) 236
Collaço-Moraes, Y., see Wagstaff, M.J.D. (42) 236

Connor, B., Young, D., Lawlor, P., Gai, W., Waldvogel, H., Faull, R.L.M. and Dragunow, M.

Trk receptor alterations in Alzheimer's disease (42) 1

Conti, L., see Cattaneo, E. (42) 161 Corey, D.P., see Grosson, C.L.S. (42) 222 Corry, J.M., see Boone Jr., J.B. (42) 31

Crabb, D.W., Stewart, M.J. and Chan, R.J.

Dexamethasone represses phorbol ester-,
forskolin-, and calcium-stimulated expression of a preproenkephalin A promoterchloramphenicol acetyltransferase gene via
a receptor-mediated mechanism (42) 103

Crutcher, K.A., see Fahnestock, M. (42) 175 Cruwys, S.C., see Garrett, N.E. (42) 272 Cynader, M., see Jia, W.W.-G. (42) 350

De Belleroche, J.S., see Wagstaff, M.J.D. (42) 236

Dikkes, P., see Tsuruda, L.M. (42) 181 Dong, K.W., see Yeo, T.T.S. (42) 255 Doolittle, D.J., see Stokes, A.H. (42) 167 Dragunow, M., see Connor, B. (42) 1 Dubocovich, M.L., see Masana, M.I. (42) 193 Dunbar, J.C., see Carlock, L. (42) 202

Ebert, K.M., see Tsuruda, L.M. (42) 181 Elder, G., see Haroutunian, V. (42) 62 Emson, P.C., see Herrero, M.T. (42) 149 Evans, A.T., see Kumar, K. (42) 337

Fahnestock, M., Scott, S.A., Jetté, N., Weingartner, J.A. and Crutcher, K.A.

Nerve growth factor mRNA and protein levels measured in the same tissue from normal and Alzheimer's disease parietal cortex (42) 175

Fahnestock, M., see Young, L.T. (42) 45
Falkenberg, T., Lindefors, N., Camilli, F., Metsis, M. and Ungerstedt, U.
Glutamate release correlates with brain-derived neurotrophic factor and trkB mRNA expression in the CA1 region of rat hippocampus (42) 317

Faull, R.L.M., see Connor, B. (42) 1
Felts, P.A., see Sashihara, S. (42) 109
Fénelon, V.S., see Voisin, D.L. (42) 279
Fink, J.S., see Tsuruda, L.M. (42) 181
Florez, J.C., Seidenman, K.J., Barrett, R.K., Sangoram, A.M. and Takahashi, J.S.

Sangoram, A.M. and Takahashi, J.S.

Molecular cloning of chick pineal tryptophan hydroxylase and circadian oscillation of its mRNA levels (42) 25

Forsling, M.L., see Kostoglou-Athanassiou, I. (42) 301

Frolichsthal, P., see Cattaneo, E. (42) 161
Fukunaga, Y., Nishida, S., Inoue, N., Kishioka, S. and Yamamoto, H.
Increase of preproenkephalin mRNA in the caudal part of periaqueductal gray by morphine withdrawal in rats: a quantitative in situ hybridization study (42) 128

Fuson, K.S., see May, P.C. (42) 145

Gai, W., see Connor, B. (42) 1 Garner, A., see Langnaese, K. (42) 118 Garner, C.C., see Langnaese, K. (42) 118 Garner, C.C., see Laube, G. (42) 51 Garrett, N.E., Kidd, B.L., Cruwys, S.C. and

Tomlinson, D.R.

Effect of streptozotocin-diabetes on knee joint inflammation-induced changes in substance P and nerve growth factor in the rat

(42) 272 Gore, A.C., see Yeo, T.T.S. (42) 255 Govoni, S., see Cattaneo, E. (42) 161 Gritti, A., see Cattaneo, E. (42) 161

Grossman, A.B., see Kostoglou-Athanassiou, I. (42) 301

Grosson, C.L.S., Cannon, S.C., Corey, D.P. and Gusella, J.F.

Sequence of the voltage-gated sodium channel β_1 -subunit in wild-type and in *quiver-ing* mice (42) 222

Gundelfinger, E.D., see Langnaese, K. (42) 118 Gusella, J.F., see Grosson, C.L.S. (42) 222

Haroutunian, V., Zhou, Y., Elder, G., Li, C.
 and Lazzarini, R.A.
 Age-dependent spatial memory deficits in transgenic mice expressing the human mid-

sized neurofilament gene: I (42) 62

Harrison, M.J.G., see Wagstaff, M.J.D. (42)

Hartung, K., see Langnaese, K. (42) 118 Hashimoto, T., see Watanabe, M. (42) 344 Herbison, A.E., see Voisin, D.L. (42) 279 Herrero, M.T., Augood, S.J., Asensi, H., Hirsch,

E.C., Agid, Y., Obeso, J.A. and Emson, P.C.

Effects of L-DOPA-therapy on dopamine D₂ receptor mRNA expression in the striatum of MPTP-intoxicated parkinsonian monkeys (42) 149

Higgins, M.J., see Roberts, L.A. (42) 123 Hirsch, E.C., see Herrero, M.T. (42) 149 Honkaniemi, J., Massa, S.M., Breckinridge, M.

and Sharp, F.R.
Global ischemia induces apoptosis-associ-

ated genes in hippocampus (42) 79

Ido, A., see Watanabe, M. (42) 344 Inoue, N., see Fukunaga, Y. (42) 128 Inoue, Y., see Watanabe, M. (42) 344 Itoh, T., see Kamisaki, Y. (42) 39

Jaber, M., see Macrae, A.D. (42) 245
Jakubowski, M., see Yeo, T.T.S. (42) 255
Jetté, N., see Fahnestock, M. (42) 175
Jia, W.W.-G., Wang, Y., Qiang, D., Tufaro, F., Remington, R. and Cynader, M.
A bcl-2 expressing viral vector protects cortical neurons from excitotoxicity even when administered several hours after the toxic insult (42) 350

Kamisaki, Y., Wada, K., Nakamoto, K., Kishimoto, Y. and Itoh, T.
Effects of cigarette smoke on nitric oxide-induced increase in cyclic GMP in nerve terminals of rat cerebral cortex (42) 39

Kawabata, M., see Nakaya, N. (42) 293
Kerner, J.A., see Standaert, D.G. (42) 89
Kidd, B.L., see Garrett, N.E. (42) 272
Kish, S.J., see Young, L.T. (42) 45
Kishimoto, Y., see Kamisaki, Y. (42) 39
Kishioka, S., see Fukunaga, Y. (42) 128
Kistner, U., see Laube, G. (42) 51
Kiyama, H., see Morita, N. (42) 263
Kondo, H., see Owada, Y. (42) 156
Kostoglou-Athanassiou, I., Forsling, M.L.,
Navarra, P. and Grossman, A.B.

Navarra, P. and Grossman, A.B.

Oxytocin release is inhibited by the generation of carbon monoxide from the rat hypothalamus – further evidence for carbon monoxide as a neuromodulator (42) 301

Krause, J.E., see Zahm, D.S. (42) 71

Kumar, K., Wu, X. and Evans, A.T.
 Expression of c-fos and fos-B proteins following transient forebrain ischemia: Effect of hypothermia (42) 337

Ladenheim, B., see Sheng, P. (42) 171 Lamperti, E.D., see Tsuruda, L.M. (42) 181 Landwehrmeyer, G.B., see Standaert, D.G. (42) 89

Langnaese, K., Seidenbecher, C., Wex, H., Seidel, B., Hartung, K., Appeltauer, U., Garner, A., Voss, B., Mueller, B., Garner, C.C. and Gundelfinger, E.D.

Protein components of a rat brain synaptic junctional protein preparation (42) 118

Latchman, D.S., see Wagstaff, M.J.D. (42) 236
Laube, G., Röper, J., Pitt, J.C., Sewing, S.,
Kistner, U., Garner, C.C., Pongs, O. and
Veh, R.W.

Ultrastructural localization of *Shaker*-related potassium channel subunits and synapse-associated protein 90 to septate-like junctions in rat cerebellar Pinceaux (42) 51

Lawlor, P., see Connor, B. (42) 1 Lazzarini, R.A., see Haroutunian, V. (42) 62 Lee, C.K., see Stokes, A.H. (42) 167 Lefkowitz, R.J., see Macrae, A.D. (42) 245 Leidenheimer, N.J.

Effect of PKG activation on recombinant GABA_A receptors (42) 131

Lewis, S.E., see Tsuruda, L.M. (42) 181 Li, C., see Haroutunian, V. (42) 62 Li, P.P., see Young, L.T. (42) 45 Lin, X., Shah, S. and Bulleit, R.F.

The expression of MEF2 genes is implicated in CNS neuronal differentiation (42)

Lindefors, N., see Falkenberg, T. (42) 317 Lorincz, M., see Carlock, L. (42) 202

Macrae, A.D., Premont, R.T., Jaber, M., Peterson, A.S. and Lefkowitz, R.J.
Cloning, characterization, and chromosomal localization of rec1.3, a member of the G-protein-coupled receptor family highly expressed in brain (42) 245

Mahmudi, N., see Azzi, M. (42) 213 Marescaux, C., see Mathivet, P. (42) 18 Masana, M.I., Benloucif, S. and Dubocovich,

Masana, M.I., Benloucif, S. and Dubocovich,
 M.L.
 Light-induced c-fos mRNA expression in the suprachiasmatic nucleus and the retina

of C3H/HeN mice (42) 193 Massa, S.M., see Honkaniemi, J. (42) 79 Mathivet, P., Bernasconi, R., Bittiger, H. and

Marescaux, C. Regional differences of the inhibition of GABA_B ligand binding by the GTP ana-

logue Gpp(NH)p (42) 18 Matsubara, K., see Yokoyama, M. (42) 135

Matsui, T., see Sashihara, S. (42) 109
May, P.C., Clemens, J.A., Panetta, J.A., Smalstig, E.B., Stephenson, D. and Fuson, K.S. Induction of sulfated glycoprotein-2 (clusterin) and glial fibrillary acidic protein (GFAP) RNA expression following transient global ischemia is differentially attenuated by LY231617 (42) 145

Metsis, M., see Falkenberg, T. (42) 317 Miura, Y., see Watanabe, M. (42) 344 Miyamoto, Y., see Yokoyama, M. (42) 135 Moran, T.H., see Sheng, P. (42) 171 Morgan, H., see Burke, Z.D. (42) 287

Morita, N., Takumi, T. and Kiyama, H.

Distinct localization of two serine-threonine kinase receptors for activin and TGF-β in the rat brain and down-regulation of type I activin receptor during peripheral nerve regeneration (42) 263

Morrell, J.I., see Wagner, C.K. (42) 328 Morris, B.J., see Roberts, L.A. (42) 123 Morris, R.G.M., see Yau, J.L.W. (42) 354 Mueller, B., see Langnaese, K. (42) 118 Murphy, D., see Burke, Z.D. (42) 287

Nakamoto, K., see Kamisaki, Y. (42) 39 Nakamura, M., see Yokoyama, M. (42) 135 Nakaya, N., Nishibori, M., Kawabata, M. and Saeki, K.

Cloning of a serine proteinase inhibitor from bovine brain: expression in the brain and characterization of its target proteinases (42) 293

Navarra, P., see Kostoglou-Athanassiou, I. (42) 301

Nishi, S., see Watanabe, M. (42) 344 Nishi, Y., see Yokoyama, M. (42) 135 Nishibori, M., see Nakaya, N. (42) 293 Nishida, S., see Fukunaga, Y. (42) 128 Noble, J., see Yau, J.L.W. (42) 354

Obeso, J.A., see Herrero, M.T. (42) 149 Okubo, K., see Yokoyama, M. (42) 135 Olsson, T., see Yau, J.L.W. (42) 354 O'Shaughnessy, C.T., see Roberts, L.A. (42)

Owada, Y., Yoshimoto, T. and Kondo, H.
Increased expression of the mRNA for brainand skin-type but not heart-type fatty acid
binding proteins following kainic acid systemic administration in the hippocampal glia
of adult rats (42) 156

Panetta, J.A., see May, P.C. (42) 145
Parkinson, F.E., see Anderson, C.M. (42) 358
Pélaprat, D., see Azzi, M. (42) 213
Penney Jr., J.B., see Standaert, D.G. (42) 89
Peterson, A.S., see Macrae, A.D. (42) 245
Piosik, P.A., Van Groenigen, M. and Baas, F.
Effect of thyroid hormone deficiency on
RC3/neurogranin mRNA expression in the
prenatal and adult caprine brain (42) 227
Pitt, J.C., see Laube, G. (42) 51
Pongs, O., see Laube, G. (42) 51
Poulad, D., see Zahm, D.S. (42) 71
Premont, R.T., see Macrae, A.D. (42) 245

Qiang, D., see Jia, W.W.-G. (42) 350

Rostène, W., see Azzi, M. (42) 213

Remington, R., see Jia, W.W.-G. (42) 350
Roberts, J.L., see Yeo, T.T.S. (42) 255
Roberts, L.A., Higgins, M.J., O'Shaughnessy, C.T., Stone, T.W. and Morris, B.J.
Changes in hippocampal gene expression associated with the induction of long-term potentiation (42) 123
Röper, J., see Laube, G. (42) 51

Saeki, K., see Nakaya, N. (42) 293
Sakai, M., see Watanabe, M. (42) 344
Sangoram, A.M., see Florez, J.C. (42) 25
Sashihara, S., Felts, P.A., Waxman, S.G. and Matsui, T.
Orphan nuclear receptor RORα gene: isoform-specific spatiotemporal expression during postnatal development of brain (42) 109

Schwartz, W.J., see Bennett, M.R. (42) 140

Scott, S.A., see Fahnestock, M. (42) 175 Seckl, J.R., see Yau, J.L.W. (42) 354 Seidel, B., see Langnaese, K. (42) 118 Seidenbecher, C., see Langnaese, K. (42) 118 Seidenman, K.J., see Florez, J.C. (42) 25 Sewing, S., see Laube, G. (42) 51 Shah, S., see Lin, X. (42) 307 Sharp, F.R., see Honkaniemi, J. (42) 79 Sheng, P., Ladenheim, B., Moran, T.H., Wang, X.-B. and Cadet, J.L. Methamphetamine-induced neurotoxicity is associated with increased striatal AP-1 DNA-binding activity in mice (42) 171 Smalstig, E.B., see May, P.C. (42) 145 Standaert, D.G., Landwehrmeyer, G.B., Kerner, J.A., Penney Jr., J.B. and Young, A.B. Expression of NMDAR2D glutamate receptor subunit mRNA in neurochemically identified interneurons in the rat neostriatum, neocortex and hippocampus (42) 89 Stephenson, D., see May, P.C. (42) 145 Stewart, M.J., see Crabb, D.W. (42) 103 Stokes, A.H., Brown, B.G., Lee, C.K., Doolittle, D.J. and Vrana, K.E. Tyrosinase enhances the covalent modification of DNA by dopamine (42) 167 Stone, T.W., see Roberts, L.A. (42) 123

Takahashi, J.S., see Florez, J.C. (42) 25
Takumi, T., see Morita, N. (42) 263
Tamaoki, T., see Watanabe, M. (42) 344
Tolentino, P.J., see Tsuruda, L.M. (42) 181
Tomlinson, D.R., see Garrett, N.E. (42) 272
Tsuruda, L.M., Lamperti, E.D., Lewis, S.E.,
Tolentino, P.J., Dikkes, P., Villa-Komaroff, L., Ebert, K.M. and Fink, J.S.
Region-specific central nervous system expression and axotomy-induced regulation in sympathetic neurons of a VIP-β-galactosidase fusion gene in transgenic mice (42)
181

Tufaro, F., see Jia, W.W.-G. (42) 350

Ungerstedt, U., see Falkenberg, T. (42) 317

Van Groenigen, M., see Piosik, P.A. (42) 227

Veh, R.W., see Laube, G. (42) 51
Vescovi, A., see Cattaneo, E. (42) 161
Villa-Komaroff, L., see Tsuruda, L.M. (42) 181
Vo, T., see Carlock, L. (42) 202
Voisin, D.L., Fénelon, V.S. and Herbison, A.E.
Calbindin-D28k mRNA expression in magnocellular hypothalamic neurons of female rats during parturition, lactation and follow-

ing dehydration (42) 279 Voss, B., see Langnaese, K. (42) 118 Vrana, K.E., see Stokes, A.H. (42) 167

Wada, K., see Kamisaki, Y. (42) 39
 Wagner, C.K. and Morrell, J.I.
 Levels of estrogen receptor immunoreactivity are altered in behaviorally-relevant brain regions in female rats during pregnancy (42)

Wagstaff, M.J.D., Collaço-Moraes, Y., Aspey, B.S., Coffin, R.S., Harrison, M.J.G., Latchman, D.S. and De Belleroche, J.S.
Focal cerebral ischaemia increases the levels of several classes of heat shock proteins and their corresponding mRNAs (42) 236
Waldvogel, H., see Connor, B. (42) 1
Walker, P.D., see Carlock, L. (42) 202
Wang, X.-B., see Sheng, P. (42) 171
Wang, Y., see Jia, W.W.-G. (42) 350
Warsh, J.J., see Young, L.T. (42) 45
Watanabe, M., Miura, Y., Ido, A., Sakai, M., Nishi, S., Inoue, Y., Hashimoto, T. and Tamaoki, T.
Developmental changes in expression of the

ATBF1 transcription factor gene (42) 344 Waxman, S.G., see Sashihara, S. (42) 109 Weingartner, J.A., see Fahnestock, M. (42) 175 Wex, H., see Langnaese, K. (42) 118 Williams, E.S., see Zahm, D.S. (42) 71

Wisniewski, D., see Carlock, L. (42) 202 Wu, X., see Kumar, K. (42) 337

Xiong, W., see Anderson, C.M. (42) 358

Yamamoto, H., see Fukunaga, Y. (42) 128
Yau, J.L.W., Olsson, T., Morris, R.G.M., Noble, J. and Seckl, J.R.
Decreased NGFI-A gene expression in the hippocampus of cognitively impaired aged rats (42) 354

Yeo, T.T.S., Gore, A.C., Jakubowski, M., Dong, K.W., Blum, M. and Roberts, J.L. Characterization of gonadotropin-releasing hormone gene transcripts in a mouse hypothalamic neuronal GT1 cell line (42) 255 Yokoyama, M., Nishi, Y., Miyamoto, Y., Naka-

mura, M., Akiyama, K., Matsubara, K. and Okubo, K.

Molecular cloning of a human neuroD from a neuroblastoma cell line specifically expressed in the fetal brain and adult cerebel-

lum (42) 135
Yoshimoto, T., see Owada, Y. (42) 156
Young, A.B., see Standaert, D.G. (42) 89
Young, D., see Connor, B. (42) 1
Young, J.D., see Anderson, C.M. (42) 358
Young, L.T., Asghari, V., Li, P.P., Kish, S.J.,
Fahnestock, M. and Warsh, J.J.
Stimulatory G-protein α-subunit mRNA
levels are not increased in autopsied cerebral cortex from patients with bipolar disorder (42) 45

Zahm, D.S., Williams, E.S., Poulad, D. and Krause, J.E.
Temporal dissociation of neurotensin/neuromedin N mRNA expression in topographically separate subsets of rat striatal neurons following administration of haloperidol (42)

Zhou, Y., see Haroutunian, V. (42) 62

(contents continued from back cover)

Decreased NGFI-A gene expression in the hippocampus of cognitively impaired aged rats J.L.W. Yau, T. Olsson, R.G.M. Morris, J. Noble and J.R. Seckl (UK, Sweden)

Demonstration of the existence of mRNAs encoding N1/cif and N2/cit sodium/nucleoside

354

Demonstration of the existence of mRNAs encoding N1/cif and N2/cit sodium/nucleoside cotransporters in rat brain C.M. Anderson, W. Xiong, J.D. Young, C.E. Cass and F.E. Parkinson (Canada)

